

ETIQUETTE DU PATIENT

**EXAMEN OPHTALMOLOGIQUE SJS/Lyell en phase aiguë au lit du patient**

Date de l'examen :

Nom de l'ophtalmologiste :

Examen initial  Suivi

Stade évolutif	Critères	œil droit	œil gauche
Stade 0	Pas d'atteinte ophtalmologique	<input type="checkbox"/>	<input type="checkbox"/>
Stade1	Hyperhémie conjonctivale	<input type="checkbox"/>	<input type="checkbox"/>
Stade2	Conjonctivite pseudo-membraneuse	<input type="checkbox"/>	<input type="checkbox"/>
	Adhérences conjonctivales réversibles	<input type="checkbox"/>	<input type="checkbox"/>
	Discret raccourcissement du fornix	<input type="checkbox"/>	<input type="checkbox"/>
	Kératite ponctuée superficielle	<input type="checkbox"/>	<input type="checkbox"/>
Stade3	Ulcère cornéen	<input type="checkbox"/>	<input type="checkbox"/>
	Symlépharons / brides conjonctivales irréversibles	<input type="checkbox"/>	<input type="checkbox"/>

Observations :

Prescriptions :

Patient à revoir dans : .....jours

Sources : "Analysis of the acute ophthalmic manifestation of the erythema multiforme/ Stevens-Johnson syndrome / toxic epidermal necrolysis disease spectrum" William J.Power, FRCS, FRCOphth, Mohammed Ghoraiishi, MD, Jesus Merayo-Llodes, MD, Renato A. Neves, MD, C. Stephen Foster, MD, FACS.

Sotozonon C et al. Predictive Factors Associated With Acute Ocular Involvement in Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. Am J Ophthalmol. 2015 Aug;160(2):228-237.e2.